Author Index

Aarhus, R., see Walseth, T.F. (1094) 113
Adlercreutz, H., see Garreau, B. (1094) 339
Alcántara-Hernández, R., see Robles-Flores, M. (1094) 77
Alexandre, A., see Doni, M.G. (1094) 323
Alexandre, A., see Ruzzene, M. (1094) 121
Annaert, G., see De Bisschop, E. (1094) 147
Apitz-Castro, R., Jain, M.K., Bartoli, F., Ledezma, E., Ruiz, M.-C. and Salas, R.
Evidence for direct coupling of primary agonist–receptor interaction to the exposure of functional IIb–IIIa complexes in human blood platelets. Results from studies with the antiplatelet compound ajoene (1094) 269
Appleby, G.J., see Rattigan, S. (1094) 217

Barisas, B.G., see Bulva, C.J. (1094) 134
Bartoli, F., see Apitz-Castro, R. (1094) 269
Benassayag, C., see Garreau, B. (1094) 339
Bertlik, M., see Orser, B.A. (1094) 19
Bhakta, A., see Moudgil, V.K. (1094) 185
Boland, R., see De Boland, A.R. (1094) 238
Bulva, C.J., Printen, J., Melnykovych, G., Cutts, L., Barisas, B.G. and Roess, D.A.
Corticosteroid effects on lipid lateral diffusion in CEM-C1 and CEM-C7 acute lymphoblastic leukemia cells (1094) 134

Cai, Q., see Tolosa de Talamoni, N. (1094) 224
Capeillere-Blandin, C., Masson, A. and Descamps-Latscha, B.
Molecular characteristics of cytochrome b_{558} isolated from human granulocytes, monocytes and HL60 and U937 cells differentiated into monocyte/macrophages (1094) 55
Castell, J.V., see López, M.P. (1094) 200
Cawston, T.E., see Wright, J.K. (1094) 207
Chaudhary, L.R. and Stocco, D.M.
Effect of different steroidogenic stimuli on protein phosphorylation and steroidogenesis in MA-10 mouse Leydig tumor cells (1094) 175
Chiu, A.L.H., see Sharom, F.J. (1094) 35
Chu, J.W.K., see Sharom, F.J. (1094) 35
Clark, M.G., see Rattigan, S. (1094) 217
Clay, K.L., Johnson, C. and Worthen, G.S.
Biosynthesis of platelet activating factor and 1-*O*-acyl analogues by endothelial cells (1094) 43
Cohen, P. and Hardie, D.G.
The actions of cyclic AMP on biosynthetic processes are mediated indirectly by cyclic AMP-dependent protein kinase (1094) 292
Cohen, P., see Sola, M.M. (1094) 211
Coremans, J., see De Bisschop, E. (1094) 147
Coso, O., see De Boland, A.R. (1094) 238
Crawford, N., see Eggleton, P. (1094) 309
Cruz, P., see Fujise, H. (1094) 51
Cutts, L., see Bulva, C.J. (1094) 134

Deana, R., see Doni, M.G. (1094) 323
Deana, R., see Ruzzene, M. (1094) 121
De Bisschop, E., Annaert, G., Luypaert, R., Coremans, J. and Osteaux, M.
Absolute quantification of ^{31}P muscle metabolites using NMRS with an internal standard and a high-Q, double-tuned coil (1094) 147
De Boland, A.R., Flawia, M., Coso, O. and Boland, R.
A guanine nucleotide-binding protein mediates 1,25-dihydroxyvitamin D-3-dependent rapid stimulation of Ca^{2+} uptake in skeletal muscle (1094) 238
Descamps-Latscha, B., see Capeillere-Blandin, C. (1094) 55
Donella-Deana, A., Meyer, H.E. and Pinna, L.A.
The use of phosphopeptides to distinguish between protein phosphatase and acid/alkaline phosphatase activities: opposite specificity toward phosphoseryl/phosphothreonyl substrates (1094) 130
Donella-Deana, A., see Ruzzene, M. (1094) 121
Doni, M.G., Deana, R., Padoin, E., Ruzzene, M. and Alexandre, A.
Platelet activation by diacylglycerol or ionomycin is inhibited by nitroprusside (1094) 323

Eggleton, P., Penhallow, J. and Crawford, N.
Priming action of inositol hexakisphosphate ($InsP_6$) on the stimulated respiratory burst in human neutrophils (1094) 309

Fedorko, L., see Orser, B.A. (1094) 19
Flawia, M., see De Boland, A.R. (1094) 238
Francesconi, M.A., see Ruzzene, M. (1094) 121
Fujise, H., Cruz, P., Reo, N.V. and Lauf, P.K.
Relationship between total magnesium concentration and free intracellular magnesium in sheep red blood cells (1094) 51

Gambert, P., see Hammami, M. (1094) 153
García-Sáinz, J.A., see Robles-Flores, M. (1094) 77
Garibay, J.L.R., Kozasa, T., Itoh, H., Tsukamoto, T., Matsuoka, M. and Kaziro, Y.
Analysis by mRNA levels of the expression of six G protein α-subunit genes in mammalian cells and tissues (1094) 193
Garreau, B., Vallette, G., Adlercreutz, H., Wähälä, K., Mäkelä, T., Benassayag, C. and Nunez, E.A.
Phytoestrogens: new ligands for rat and human α-fetoprotein (1094) 339
Gómez-Lechón, M.J., see López, M.P. (1094) 200
Gomperts, B.D., see Lillie, T.H.W. (1094) 355
Grupen, C.G., see Oh, S.Y. (1094) 243

Hammami, M., Meunier, S., Maume, G., Gambert, P. and Maume, B.F.
Effect of rat plasma high density lipoprotein with or without apolipoprotein E on the cholesterol uptake and on the induction of the corticosteroid biosynthetic pathway in newborn rat adrenocortical cell cultures (1094) 153
Hardie, D.G., see Cohen, P. (1094) 292
Hattori, M., see Makishima, M. (1094) 1
Hayashi, M., Inomata, M., Saito, Y., Ito, H. and Kawashima, S.
Activation of intracellular calcium-activated neutral proteinase in erythrocytes and its inhibition by exogenously added inhibitors (1094) 249
Hazleman, B.L., see Wright, J.K. (1094) 207
Heilmeyer, Jr., L.M.G.
Molecular basis of signal integration in phosphorylase kinase (1094) 168

Author Index

Aarhus, R., see Walseth, T.F. (1094) 113
Adlercreutz, H., see Garreau, B. (1094) 339
Alcántara-Hernández, R., see Robles-Flores, M. (1094) 77
Alexandre, A., see Doni, M.G. (1094) 323
Alexandre, A., see Ruzzene, M. (1094) 121
Annaert, G., see De Bisschop, E. (1094) 147
Apitz-Castro, R., Jain, M.K., Bartoli, F., Ledezma, E., Ruiz, M.-C. and Salas, R.
Evidence for direct coupling of primary agonist–receptor interaction to the exposure of functional IIb–IIIa complexes in human blood platelets. Results from studies with the antiplatelet compound ajoene (1094) 269
Appleby, G.J., see Rattigan, S. (1094) 217

Barisas, B.G., see Bulva, C.J. (1094) 134
Bartoli, F., see Apitz-Castro, R. (1094) 269
Benassayag, C., see Garreau, B. (1094) 339
Bertlik, M., see Orser, B.A. (1094) 19
Bhakta, A., see Moudgil, V.K. (1094) 185
Boland, R., see De Boland, A.R. (1094) 238
Bulva, C.J., Printen, J., Melnykovych, G., Cutts, L., Barisas, B.G. and Roess, D.A.
Corticosteroid effects on lipid lateral diffusion in CEM-C1 and CEM-C7 acute lymphoblastic leukemia cells (1094) 134

Cai, Q., see Tolosa de Talamoni, N. (1094) 224
Capeillere-Blandin, C., Masson, A. and Descamps-Latscha, B.
Molecular characteristics of cytochrome b_{558} isolated from human granulocytes, monocytes and HL60 and U937 cells differentiated into monocyte/macrophages (1094) 55
Castell, J.V., see López, M.P. (1094) 200
Cawston, T.E., see Wright, J.K. (1094) 207
Chaudhary, L.R. and Stocco, D.M.
Effect of different steroidogenic stimuli on protein phosphorylation and steroidogenesis in MA-10 mouse Leydig tumor cells (1094) 175
Chiu, A.L.H., see Sharom, F.J. (1094) 35
Chu, J.W.K., see Sharom, F.J. (1094) 35
Clark, M.G., see Rattigan, S. (1094) 217
Clay, K.L., Johnson, C. and Worthen, G.S.
Biosynthesis of platelet activating factor and 1-*O*-acyl analogues by endothelial cells (1094) 43
Cohen, P. and Hardie, D.G.
The actions of cyclic AMP on biosynthetic processes are mediated indirectly by cyclic AMP-dependent protein kinase (1094) 292
Cohen, P., see Sola, M.M. (1094) 211
Coremans, J., see De Bisschop, E. (1094) 147
Coso, O., see De Boland, A.R. (1094) 238
Crawford, N., see Eggleton, P. (1094) 309
Cruz, P., see Fujise, H. (1094) 51
Cutts, L., see Bulva, C.J. (1094) 134

Deana, R., see Doni, M.G. (1094) 323
Deana, R., see Ruzzene, M. (1094) 121
De Bisschop, E., Annaert, G., Luypaert, R., Coremans, J. and Osteaux, M.
Absolute quantification of ^{31}P muscle metabolites using NMRS with an internal standard and a high-Q, double-tuned coil (1094) 147
De Boland, A.R., Flawia, M., Coso, O. and Boland, R.
A guanine nucleotide-binding protein mediates 1,25-dihydroxyvitamin D-3-dependent rapid stimulation of Ca^{2+} uptake in skeletal muscle (1094) 238
Descamps-Latscha, B., see Capeillere-Blandin, C. (1094) 55
Donella-Deana, A., Meyer, H.E. and Pinna, L.A.
The use of phosphopeptides to distinguish between protein phosphatase and acid/alkaline phosphatase activities: opposite specificity toward phosphoseryl/phosphothreonyl substrates (1094) 130
Donella-Deana, A., see Ruzzene, M. (1094) 121
Doni, M.G., Deana, R., Padoin, E., Ruzzene, M. and Alexandre, A.
Platelet activation by diacylglycerol or ionomycin is inhibited by nitroprusside (1094) 323

Eggleton, P., Penhallow, J. and Crawford, N.
Priming action of inositol hexakisphosphate ($InsP_6$) on the stimulated respiratory burst in human neutrophils (1094) 309

Fedorko, L., see Orser, B.A. (1094) 19
Flawia, M., see De Boland, A.R. (1094) 238
Francesconi, M.A., see Ruzzene, M. (1094) 121
Fujise, H., Cruz, P., Reo, N.V. and Lauf, P.K.
Relationship between total magnesium concentration and free intracellular magnesium in sheep red blood cells (1094) 51

Gambert, P., see Hammami, M. (1094) 153
García-Sáinz, J.A., see Robles-Flores, M. (1094) 77
Garibay, J.L.R., Kozasa, T., Itoh, H., Tsukamoto, T., Matsuoka, M. and Kaziro, Y.
Analysis by mRNA levels of the expression of six G protein α-subunit genes in mammalian cells and tissues (1094) 193
Garreau, B., Vallette, G., Adlercreutz, H., Wähälä, K., Mäkelä, T., Benassayag, C. and Nunez, E.A.
Phytoestrogens: new ligands for rat and human α-fetoprotein (1094) 339
Gómez-Lechón, M.J., see López, M.P. (1094) 200
Gomperts, B.D., see Lillie, T.H.W. (1094) 355
Grupen, C.G., see Oh, S.Y. (1094) 243

Hammami, M., Meunier, S., Maume, G., Gambert, P. and Maume, B.F.
Effect of rat plasma high density lipoprotein with or without apolipoprotein E on the cholesterol uptake and on the induction of the corticosteroid biosynthetic pathway in newborn rat adrenocortical cell cultures (1094) 153
Hardie, D.G., see Cohen, P. (1094) 292
Hattori, M., see Makishima, M. (1094) 1
Hayashi, M., Inomata, M., Saito, Y., Ito, H. and Kawashima, S.
Activation of intracellular calcium-activated neutral proteinase in erythrocytes and its inhibition by exogenously added inhibitors (1094) 249
Hazleman, B.L., see Wright, J.K. (1094) 207
Heilmeyer, Jr., L.M.G.
Molecular basis of signal integration in phosphorylase kinase (1094) 168

Hirata, M., see Yanaga, F. (1094) 139
Honda, T., see Kusui, T. (1094) 231
Honma, Y., see Makishima, M. (1094) 1
Horn, R.S., see Walaas, O. (1094) 92
Hozumi, M., see Makishima, M. (1094) 1

Ichinose, I., see Nakano, S. (1094) 263
Iizuka, K., see Kawaguchi, H. (1094) 161
Inomata, M., see Hayashi, M. (1094) 249
Ishikawa, I., see Makishima, M. (1094) 1
Ishiura, S., see Tanabe, H. (1094) 281
Ismail-Beigi, F., see Kuruvilla, A.K. (1094) 300
Ito, H., see Hayashi, M. (1094) 249
Itoh, H., see Garibay, J.L.R. (1094) 193

Jain, M.K., see Apitz-Castro, R. (1094) 269
Jelveh, Z., see Kalbag, S.S. (1094) 85
Johnson, C., see Clay, K.L. (1094) 43
Johnson, M.S., see MacEwan, D.J. (1094) 346

Kalbag, S.S., Roginsky, M.S., Jelveh, Z. and Sulimovici, S.
Phorbol ester, prolactin, and relaxin cause translocation of protein kinase C from cytosol to membranes in human endometrial cells (1094) 85
Kanaiwa, T., see Makishima, M. (1094) 1
Katsushima, S., see Kusui, T. (1094) 231
Katz, A.M., see Tian, Q. (1094) 27
Kawaguchi, H., Shoki, M., Iizuka, K., Sano, H., Sakata, Y. and Yasuda, H.
Phospholipid metabolism and prostacyclin synthesis in hypoxic myocytes (1094) 161
Kawahara, N., see Makishima, M. (1094) 1
Kawashima, S., see Hayashi, M. (1094) 249
Kaziro, Y., see Garibay, J.L.R. (1094) 193
Kemp, B.E. and Pearson, R.B.
Intrasteric regulation of protein kinases and phosphatases (1094) 67
Kim, D.H., see Tian, Q. (1094) 27
Koga, T., see Nakano, S. (1094) 263
Koga, T., see Yanaga, F. (1094) 139
Kominami, E., see Tanabe, H. (1094) 281
Konishi, J., see Kusui, T. (1094) 231
Kozasa, T., see Garibay, J.L.R. (1094) 193
Kruckeberg, W.C.
Factors influencing variable oxidative hemolysis of inbred mouse erythrocytes (1094) 288
Kumagai, N., see Tanabe, H. (1094) 281
Kuruvilla, A.K., Perez, C., Ismail-Beigi, F. and Loeb, J.N.
Regulation of glucose transport in Clone 9 cells by thyroid hormone (1094) 300
Kusui, T., Sato, S., Katsushima, S., Honda, T., Shigeno, C. and Konishi, J.
Cholecystokinin receptor occupation and cholecystokinin-induced calcium mobilization in the early phase in rat pancreatic acini (1094) 231

Langan, T., see Sola, M.M. (1094) 211
Lauf, P.K., see Fujise, H. (1094) 51
Ledezma, E., see Apitz-Castro, R. (1094) 269
Lee, H.C., see Walseth, T.F. (1094) 113
Lefebvre, V., Peeters-Joris, C. and Vaes, G.
Production of gelatin-degrading matrix metalloproteinases ('type IV collagenases') and inhibitors by articular chondrocytes during their dedifferentiation by serial subcultures and under stimulation by interleukin-1 and tumor necrosis factor α (1094) 8
Lieberman, M.A., see Nagasaki, T. (1094) 330
Lillie, T.H.W., Whalley, T.D. and Gomperts, B.D.
Modulation of the exocytotic reaction of permeabilised rat mast cells by ATP, other nucleotides and Mg^{2+} (1094) 355
Loeb, J.N., see Kuruvilla, A.K. (1094) 300
López, M.P., Gómez-Lechón, M.J. and Castell, J.V.
Glucose: a more powerful modulator of fructose 2,6-bisphosphate levels than insulin in human hepatocytes (1094) 200
Loskutoff, D.J., see Slivka, S.R. (1094) 317
Luypaert, R., see De Bisschop, E. (1094) 147

MacEwan, D.J., Mitchell, R., Thomson, F.J. and Johnson, M.S.
Inhibition of depolarisation-induced calcium influx into GH_3 cells by arachidonic acid: the involvement of protein kinase C (1094) 346
Mäkelä, T., see Garreau, B. (1094) 339
Makishima, M., Honma, Y., Hozumi, M., Sampi, K., Hattori, M., Ishikawa, I., Ogura, H., Kawahara, N., Kanaiwa, T. and Motoyoshi, K.
Induction of differentiation of human myeloid leukemia HL-60 cells by novel pyrimidine nucleoside analogs (1094) 1
Masson, A., see Capeillere-Blandin, C. (1094) 55
Matsuoka, M., see Garibay, J.L.R. (1094) 193
Maume, B.F., see Hammami, M. (1094) 153
Maume, G., see Hammami, M. (1094) 153
Melnykovych, G., see Bulva, C.J. (1094) 134
Meunier, S., see Hammami, M. (1094) 153
Meyer, H.E., see Donella-Deana, A. (1094) 130
Mitchell, R., see MacEwan, D.J. (1094) 346
Mora, G., see Steinsapir, J. (1094) 103
Motoyoshi, K., see Makishima, M. (1094) 1
Moudgil, V.K., Nath, R., Bhakta, A. and Nakao, M.
ZK98299, a novel antiprogesterone that does not interact with chicken oviduct progesterone receptor (1094) 185
Muldoon, T.G., see Steinsapir, J. (1094) 103
Murray, A.W., see Oh, S.Y. (1094) 243
Mykkanen, H., see Tolosa de Talamoni, N. (1094) 224

Nagasaki, T. and Lieberman, M.A.
Potentiation of the activity of mouse liver-derived HBGF-1-like growth factor by heparin and dithiothreitol: evidence for the involvement of a plasma factor (1094) 330
Nakano, S., Koga, T., Ichinose, I., Yamada, H. and Niho, Y.
Evidence for the involvement of endogenous thymidine in the density-inhibition of tumorigenic Chinese hamster V79 cells (1094) 263
Nakao, M., see Moudgil, V.K. (1094) 185
Nakashima, H., see Nakashima, K. (1094) 257
Nakashima, K., Nakashima, H. and Shimoyama, M.
Deoxyadenosine triphosphate acting as an energy-transferring molecule in adenosine deaminase inhibited human erythrocytes (1094) 257
Nath, R., see Moudgil, V.K. (1094) 185
Niho, Y., see Nakano, S. (1094) 263
Nishina, H., see Tanabe, H. (1094) 281
Nunez, E.A., see Garreau, B. (1094) 339

O'Brodovich, H., see Orser, B.A. (1094) 19
Ogura, H., see Makishima, M. (1094) 1
Oh, S.Y., Grupen, C.G. and Murray, A.W.
Phorbol ester induces phosphorylation and down-regulation of connexin 43 in WB cells (1094) 243
Orser, B.A., Bertlik, M., Fedorko, L. and O'Brodovich, H.
Cation selective channel in fetal alveolar type II epithelium (1094) 19
Osteaux, M., see De Bisschop, E. (1094) 147

Padoin, E., see Doni, M.G. (1094) 323
Pearson, R.B., see Kemp, B.E. (1094) 67
Peeters-Joris, C., see Lefebvre, V. (1094) 8
Penhallow, J., see Eggleton, P. (1094) 309
Perez, C., see Kuruvilla, A.K. (1094) 300
Pinna, L.A., see Donella-Deana, A. (1094) 130
Printen, J., see Bulva, C.J. (1094) 134

Rattigan, S., Appleby, G.J. and Clark, M.G.
Insulin-like action of catecholamines and Ca^{2+} to stimulate glucose transport and GLUT4 translocation in perfused rat heart (1094) 217
Reo, N.V., see Fujise, H. (1094) 51
Robles-Flores, M., Alcántara-Hernández, R. and García-Sáinz, J.A.
Differences in phorbol ester-induced decrease of the activity of protein kinase C isozymes in rat hepatocytes (1094) 77
Roess, D.A., see Bulva, C.J. (1094) 134
Roginsky, M.S., see Kalbag, S.S. (1094) 85
Ruiz, M.-C., see Apitz-Castro, R. (1094) 269
Ruzzene, M., Donella-Deana, A., Alexandre, A., Francesconi, M.A. and Deana, R.
The antioxidant butylated hydroxytoluene stimulates platelet protein kinase C and inhibits subsequent protein phosphorylation induced by thrombin (1094) 121
Ruzzene, M., see Doni, M.G. (1094) 323

Saito, Y., see Hayashi, M. (1094) 249
Sakata, Y., see Kawaguchi, H. (1094) 161
Salas, R., see Apitz-Castro, R. (1094) 269
Sampi, K., see Makishima, M. (1094) 1
Sano, H., see Kawaguchi, H. (1094) 161
Sato, S., see Kusui, T. (1094) 231
Sharom, F.J., Chiu, A.L.H. and Chu, J.W.K.
Membrane gangliosides modulate interleukin-2-stimulated T-lymphocyte proliferation (1094) 35
Shigeno, C., see Kusui, T. (1094) 231
Shimoyama, M., see Nakashima, K. (1094) 257
Shoki, M., see Kawaguchi, H. (1094) 161
Slivka, S.R. and Loskutoff, D.J.
Regulation of type I plasminogen activator inhibitor synthesis by protein kinase C and cAMP in bovine aortic endothelial cells (1094) 317
Sola, M.M., Langan, T. and Cohen, P.
p34cdc2 phosphorylation sites in histone H1 are dephosphorylated by protein phosphatase $2A_1$ (1094) 211
Steinsapir, J., Mora, G. and Muldoon, T.G.
Effects of steroidal and non-steroidal antiandrogens on the androgen binding properties of the rat ventral prostate androgen receptor (1094) 103
Stocco, D.M., see Chaudhary, L.R. (1094) 175
Sugita, H., see Tanabe, H. (1094) 281
Sulimovici, S., see Kalbag, S.S. (1094) 85

Tanabe, H., Kumagai, N., Tsukahara, T., Ishiura, S., Kominami, E., Nishina, H. and Sugita, H.
Changes of lysosomal proteinase activities and their expression in rat cultured keratinocytes during differentiation (1094) 281
Thomson, F.J., see MacEwan, D.J. (1094) 346
Tian, Q., Katz, A.M. and Kim, D.H.
Effects of azumolene on doxorubicin-induced Ca^{2+} release from skeletal and cardiac muscle sarcoplasmic reticulum (1094) 27
Tolosa de Talamoni, N., Mykkanen, H., Cai, Q. and Wasserman, R.H.
Hormonal effects on the sulfhydryl groups associated with intestinal brush border membrane proteins (1094) 224
Tsukahara, T., see Tanabe, H. (1094) 281
Tsukamoto, T., see Garibay, J.L.R. (1094) 193

Vaes, G., see Lefebvre, V. (1094) 8
Vallette, G., see Garreau, B. (1094) 339

Wähälä, K., see Garreau, B. (1094) 339
Walaas, O., Horn, R.S. and Walaas, S.I.
Insulin and phorbol ester stimulate phosphorylation of a 15000 dalton membrane protein in rat diaphragm in a similar manner (1094) 92
Walaas, S.I., see Walaas, O. (1094) 92
Walseth, T.F., Aarhus, R., Zeleznikar, Jr., R.J. and Lee, H.C.
Determination of endogenous levels of cyclic ADP-ribose in rat tissues (1094) 113
Wasserman, R.H., see Tolosa de Talamoni, N. (1094) 224
Whalley, T.D., see Lillie, T.H.W. (1094) 355
Worthen, G.S., see Clay, K.L. (1094) 43
Wright, J.K., Cawston, T.E. and Hazleman, B.L.
Transforming growth factor beta stimulates the production of the tissue inhibitor of metalloproteinases (TIMP) by human synovial and skin fibroblasts (1094) 207

Yamada, H., see Nakano, S. (1094) 263
Yanaga, F., Hirata, M. and Koga, T.
Evidence for coupling of bradykinin receptors to a guanine-nucleotide binding protein to stimulate arachidonate liberation in the osteoblast-like cell line, MC3T3-E1 (1094) 139
Yasuda, H., see Kawaguchi, H. (1094) 161

Zeleznikar, Jr., R.J., see Walseth, T.F. (1094) 113